



ECBT2.E149426 Connectors for Use in Data, Signal, Control and Power Applications - Component

[Page Bottom](#)

Connectors for Use in Data, Signal, Control and Power Applications - Component

[See General Information for Connectors for Use in Data, Signal, Control and Power Applications - Component](#)

Y-S ELECTRONIC CO LTD

E149426

2 LANE 10 SEC 2 JHONGFU RD
JHONGLI
TAOYUAN HSIEN, 320 TAIWAN

Connectors, Model(s) Cat. No. 100, followed by 09, 15, 25, 37 or 50, followed by 1 or 2, followed by 0 thru 8, followed by 0 thru 9 or A thru G, followed by 1 thru 8, followed by 0 thru 9, A or B, followed by 0 thru 9 or A thru F, followed by 1 thru 7, followed by 0 or 1

Connectors, Model(s) Cat. No. 101, followed by 09, 15, 25, 37 or 50, followed by 1 or 2, followed by 0 thru 9, A or B, followed by 0 thru 9 or A thru C, followed by 0 thru 9, followed by 0 thru 3 or A thru F, followed by 0 thru 8 or A thru J, followed by 0 thru 9 or A thru E, followed by 0 or 1

Connectors, Model(s) Cat. No. 102, followed by 09, 15, 25, 37 or 50, followed by 1 or 2, followed 0 thru 9 or A, followed by 0 thru 2 or A thru F, followed by 0 thru 9 or B

Connectors, Model(s) Cat. No. 103, followed by 09, 15, 25, or 37, followed by 1 or 2, followed by 0 thru 9, followed by 0 thru 9 or A thru C, followed by 1 thru 8, followed by 0 thru 8, followed by 1 or 2, followed by 1 thru 3

Connectors, Model(s) Cat. No. 104, followed by 15, 26, 44, 62 or 78, followed by 1 or 2, followed by 0 thru 7, followed by 0 thru 9, A thru C or G, followed by 1 thru 7, followed by 0, 1, 2 or A thru H, followed by 0 thru 8, A or B, followed by 1 thru 4, followed by 0 or 1

Connectors, Model(s) Cat. No. 105, followed by 15, 26, 44, 62 or 78, followed by 1 or 2, followed by 0 thru 9, A or B, followed by 0 thru 9 or A thru C, followed by 1 thru 9, followed by 0 thru 3 or A thru F, followed by 0 thru 8 or A thru F, followed by 0 thru 9, A, B, Y or Z, followed by 0 or 1

Connectors, Model(s) Cat. No. 106, followed by 15, 26, 44, 62 or 78, followed by 1 or 2, followed by 0 thru 9, followed by 0 thru 2 or A thru F, followed by 0 thru 9

Connectors, Model(s) Cat. No. 107, followed by 09, 15, 25 or 37, followed by 1 or 2, followed by 0 thru 9, A or B, followed by 0 thru 9, A or B, followed by 1 thru 5 or 7 thru 9, followed by 11, 12, 30 thru 35, 38 or 41, followed by 1 or 2, followed by 0 or 1, followed by 1 or 2

Connectors, Model(s) Cat. No. 108, followed by 15, 26, 44 or 62, followed by 1 or 2, followed by 0 thru 7, followed by 0 thru 8, followed by 1 thru 5 or 7 thru 9, followed by 11, 12 or 31 thru 37, followed by 0 or 1

Connectors, Model(s) Cat. No. 109, followed by 1 thru 3, followed by 0101, 0102, 0201, 0202, 0303, 0304, 0403, 0404, 0505 0506, 0605 or 0606, followed by 0 thru 3, followed by 0 thru 8, followed by 1 thru 5, 7 or 8, followed by 1 thru 4, followed by 0 thru 9

Connectors, Model(s) Cat. No. 110, followed by 06, 08, 10, 12, 14, 16, 18, 20, 24, 26, 30, 34, 40, 44, 50, 60 or 64, followed by 0 thru 6, followed by 0 or 1, followed by 0 thru 2, followed by 0 or 1, followed by 0 or 1, followed by 010

Connectors, Model(s) Cat. No. 111, followed by 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 44, 48, 50, 54, 56 or 60, followed by 0 thru 5, followed by 0 or 1, followed by 1 or 2, followed by 0 or 1

Connectors, Model(s) Cat. No. 112, followed by 001 thru 040, followed by 0 thru 7, followed by 0, followed by 0 or 1, followed by 59630.

Connectors, Model(s) Cat. No. 112, followed by 004, 006, 008, 010, 012, 014, 016, 018, 020, 022, 024, 026, 028, 030, 032, 034, 036, 038, 040, 042, 044, 046, 048, 050, 052, 054, 056, 058, 060, 062, 064, 066, 068, 070, 072, 074, 076, 078 or 080, followed 0 thru 7, followed by 1, followed by 0 or 1, followed by 59630

Connectors, Model(s) Cat. No. 112, followed by 006, 009, 012, 015, 018, 021, 024, 027, 030, 033, 036, 039, 042, 045, 048, 051, 054, 057, 060, 063, 066, 069, 072, 075, 078, 081, 084, 087, 090, 093, 096, 099, 102, 105, 108, 111, 114, 117 or 120, followed by 0 thru 7, followed by 2, followed by 0 or 1, followed by 59630

Connectors, Model(s) Cat. No. 113, followed by 002 thru 040, followed by 0 thru 7, followed by 0, followed by 0 or 1, followed by 08828; Cat. No. 113, followed by 004, 006, 008, 010, 012, 014, 016, 018, 020, 022, 024, 026, 028, 030, 032, 034, 036, 038, 040, 042, 044, 046, 048, 050, 052, 054, 056, 058, 060, 062, 064, 066, 068, 070, 072, 074, 076, 078 or 080, followed by 0 thru 7, followed by 1, followed by 0 or 1, followed by 08828

Connectors, Model(s) Cat. No. 114, followed by 03 thru 40, followed by 0 thru 7, followed by 0011, 0113, 1012 or 1114

Connectors, Model(s) Cat. No. 115, followed by 02 thru 40, followed by 0 thru 7, followed by 0, followed by 013 or 114

Connectors, Model(s) Cat. No. 116, followed by 1 thru 4, followed by 1 thru 7, followed by 0 thru 5, Cat. No. 117, followed by 2, followed by 1 thru 7, followed by 0 thru 5

Connectors, Model(s) Cat. No. 118, followed by 06, 08, 10, 12, 14, 16, 20, 24, 26, 30, 34, 40, 44, 50, 56, 60 or 64, followed by 0 thru 7, followed by 0 or 1, followed by 0 or 1, followed by 0, followed by 1

Connectors, Model(s) Cat. No. 119, followed by 10, 12, 14, 16, 20, 24, 26, 30, 34, 40, 50, 60 or 64, followed by 0 thru 7, followed by 0 or 1, followed by 0 thru 2, followed by 0 or 1, followed by 0

Connectors, Model(s) Cat. No. 120, followed by 08, 10, 12, 14, 16, 20, 24, 26 or 30, followed by 0 thru 7, followed by 000, 010, 100 or 110

Connectors, Model(s) Cat. No. 121, followed by 10, 26, 30, 34, 50, 70 or 100, followed by 0 thru 6 or t, followed by 0 or 1, followed by 0 or 1

Connectors, Model(s) Cat. No. 122, followed by 10, 16, 20, 26, 30, 32, 34, 40, 44, 50, 52, 60, 68, 70, 80 or 100, followed by 0 thru 6, followed by 0 or 1, followed by 0 or 1, followed by 0 or 1

Connectors, Model(s) Cat. No. 123, followed by 06, 08, 10, 12, 14, 16, 18, 20, 24, 26, 30, 34, 36, 40, 50, 60 or 64, followed by 0 thru 6, t or m, followed by 0 or 1, followed by 1

Connectors, Model(s) Cat. No. 124, followed by 08, 10, 14, 16, 18, 20, 24, 28 or 40, followed by 0 thru 5 or T, followed by 0 or 1, followed by 0

Connectors, Model(s) Cat. No. 124, followed by 24, 28, 32, 34, 36 or 40, followed by 0 thru 5 or T, followed by 0 or 1, followed by 1

Connectors, Model(s) Cat. No. 126, followed by 06, 08, 14, 16, 18, 20, 24 or 28, followed by 0 thru 3, followed by 0, followed by 0

Connectors, Model(s) Cat. No. 126, followed by 24, 28, 32 or 40, followed by 0 thru 3, followed by 1, followed by 0

Connectors, Model(s) Cat. No. 127, followed by 16, 20, 22 or 24, followed by 0 or 1, followed by 3, Cat. No. 127, followed by 24, 28 or 30, followed by 0 or 1, followed by 0, Cat. No. 127, followed by 40 or 42, followed by 0 or 1, followed by 1, Cat. No. 127, followed by 64, followed by 0 or 1, followed by 2

Connectors, Model(s) Cat. No. 131, followed by 02 thru 40, followed by 0 thru 3, followed by 0, followed by 0

Connectors, Model(s) Cat. No. 131, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or 80, followed by 0 thru 3, followed by 0, followed by 1, Cat. No. 132, followed by 1404, 1406 or 0804, followed by 0 thru 3

Connectors, Model(s) Cat. No. 134, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 44, 48, 50, 60, 62, 64, 70, 72, 80, 86 or 98, followed by 0 thru 3, followed by 0, followed by A, C, F or H, followed by 0, followed by 0 or 1, followed by 0 or 1

Connectors, Model(s) Cat. No. 134, followed by 04, 06, 08, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 44, 48, 50, 60, 62, 64, 70, 72, 80, 86 or 98, followed by 0 thru 3, followed by 1, followed by A thru C, followed by A thru D, followed by 0 or 1, followed by 0 or 1

Connectors, Model(s) Cat. No. 135, followed by 10, 12, 16, 20, 24, 26, 28, 30, 32, 36, 40, 44, 46, 50, 56, 60, 62, 64, 70 or

72, followed by 0 thru 3, followed by 1, 4 or 5

Connectors, Model(s) Cat. No. 135, followed by 10, 12, 16, 20, 24, 26, 28, 30, 32, 36, 40, 44, 46, 50, 56, 60, 62, 64, 70, 72 or 86, followed by 0 thru 3, followed by 2, 3 or 6

Connectors, Model(s) Cat. No. 135, followed by 10, 12, 18, 20, 24, 26, 28, 30, 32, 36, 40, 44, 46, 50, 56, 60, 62, 64, 70 or 72, followed by 0 thru 3, followed by 0

Connectors, Model(s) Cat. No. 139, followed by 14, 24, 36 or 50, followed by 1 thru 4, followed by 0 thru 2, followed by 1 or 2, followed by 0 thru 3, followed by 0 thru 2

Connectors, Model(s) Cat. No. 140, followed by 14, 24, 36 or 50, followed by 1 or 2, followed by 0, 3 or 4, followed by 1 or 2

Connectors, Model(s) Cat. No. 141, followed by 14, 24, 36 or 50, followed by 2, followed by 1 thru 3, followed by 1 or 2, followed by 1, followed by 1

Connectors, Model(s) Cat. No. 142, followed by 14, 24, 36 or 50, followed by 1 or 2, followed by 1 thru 3, followed by 1 or 2, followed by 11, 12, 21, 31 or 40

Connectors, Model(s) Cat. No. 143, followed by 24, 36 or 50, followed by 1 or 2, followed by 0 thru 5, followed by 1 or 2, followed by 0 or 1, followed by 0 or 1, followed by 0 thru 3

Connectors, Model(s) Cat. No. 155, followed by 09, 15, 25 or 37, followed by 1 or 2, followed by 0 thru 6, followed by 0 thru 7, followed by 0 thru 3, A thru H or R, followed by 0 thru 9, A or B, followed by 1 thru 7, followed by 0 or 1

Connectors, Model(s) Cat. No. 192, followed by 09, 15, 25 or 37, followed by 1 thru 4, followed by 0, 1 or 2, followed by 0, 1, 2, 3, 4, 5, 6 or 7, followed by 1, followed by 10, 15, 17, 21, 1A, 1B, 1C, 1D or 1F.

Connectors, Model(s) Cat. No. 192, followed by 25, followed by followed by 2 or 4, followed by 0, 1 or 2, followed by 0, 1, 2, 3, 4, 5, 6 or 7, followed by 1, followed by 81.

Marking: Company name or tradename "E149426" and model designation on the device or carton.

Last Updated on 2010-12-16

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright ?2011 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2011 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

